

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/320719227>

False beliefs predict increased circumcision satisfaction in a sample of US American men

Article in *Culture Health & Sexuality* · December 2017

CITATION

1

READS

1,509

3 authors, including:



Brian D. Earp

University of Oxford

107 PUBLICATIONS 704 CITATIONS

SEE PROFILE


Some of the authors of this publication are also working on these related projects:



Relationship Neuroenhancement [View project](#)



Moral Psychology and Human Enhancement [View project](#)



ACCEPTED MANUSCRIPT, NOW IN PRESS

False Beliefs Predict Increased Circumcision Satisfaction in a Sample of US American Men

| | |
|------------------|-------------------------------------------------------------------------|
| Journal: | <i>Culture, Health and Sexuality</i> |
| Manuscript ID | TCHS-2017-0157.R3 |
| Manuscript Type: | Original Paper |
| Keywords: | circumcision, culture, female circumcision, human rights, sexual health |
| | |

SCHOLARONE™
Manuscripts

Note: this is the accepted manuscript version of an in-press article. It may be cited as follows:

Earp, B. D., Sardi, L., & Jellison, W. (in press). False beliefs predict increased circumcision satisfaction in a sample of US American men. *Culture, Health & Sexuality*, in press.

For the final version of record, please visit the journal website: <http://www.tandfonline.com/toc/tchs20/current>

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

False Beliefs Predict Increased Circumcision Satisfaction in a Sample of US American Men

Brian D. Earp^{*a}, Lauren M. Sardi^b, and William A. Jellison^c

Departments of Philosophy and Psychology, Yale University, New Haven, CT, USA^a; Department of Sociology, Criminal Justice, and Anthropology, Quinnipiac University, Hamden, CT, USA^b; Department of Psychology, Quinnipiac University, Hamden, CT, USA^c

*Corresponding Author: Brian D. Earp Email: brian.earp@gmail.com

For Peer Review Only

Abstract

Critics of non-therapeutic male and female childhood genital cutting claim that such cutting is harmful. It is therefore puzzling that 'circumcised' women and men do not typically regard themselves as having been harmed by the cutting, notwithstanding the loss of sensitive, *prima facie* valuable tissue. For female genital cutting (FGC), a commonly proposed solution to this puzzle is that women who had part(s) of their vulvae removed before sexual debut 'do not know what they are missing' and may 'justify' their genitally altered state by adopting false beliefs about the benefits of FGC, while simultaneously stigmatising unmodified genitalia as unattractive or unclean. Might a similar phenomenon apply to neonatally circumcised men? In this survey of 999 US American men, we find that greater endorsement of false beliefs concerning circumcision and penile anatomy predicts greater satisfaction with being circumcised, while among genitally intact men, a trend in the opposite direction occurs: greater endorsement of false beliefs predicts less satisfaction with being genitally intact. These findings provide tentative support for the hypothesis that the lack of harm reported by many circumcised men, like the lack of harm reported by their female counterparts in societies that practice FGC, may be related to holding inaccurate beliefs concerning unaltered genitalia and the consequences of childhood genital modification.

Keywords: circumcision, sexual experience, satisfaction, FGC, FGM, USA

Introduction

Male circumcision is the surgical removal of part, or all, of the penile prepuce (foreskin; see Figure 1) (Taylor, Lockwood and Taylor 1996). Circumcision is by far the most common paediatric surgery performed in the USA (Witt, Weiss and Elixhauser 2014), while it is much less common in other industrialised nations (Morris et al. 2016; UNAIDS 2010; Wallerstein 1985). Although this surgery is in rare instances indicated as a medical treatment for a specific foreskin-related problem (chiefly for recurrent, pathologic phimosis due to balanitis xerotica obliterans), it is overwhelmingly performed on healthy infants or young children for perceived prophylactic, cultural/cosmetic, or ethno-religious reasons (Rickwood 1999; Sneppen and Thorup 2016; UNAIDS 2010).

When circumcision is performed in the absence of a strict medical indication, and on babies and young children who cannot provide their own consent, it raises a number of complex ethical issues (see, e.g., Benatar and Benatar 2003; Darby 2015, 2016; Foddy 2013; Hellsten 2004). Such non-therapeutic childhood male circumcision (NTC) has come under increased scrutiny in recent years, with some authors claiming it is a harmful practice, or even a violation of a child's right to bodily integrity (e.g., Fox and Thompson 2005; Frisch et al. 2013; Myers 2015; Svoboda 2013; Svoboda and Van Howe 2013; Ungar-Sargon 2015; for further discussion, see Earp 2017; Sardi 2011). Against this view, supporters of NTC often argue that the majority of men who were circumcised in infancy or early childhood do not regard themselves as having been harmed by the procedure – setting aside surgical mishaps – but rather see it as a neutral issue or even an improvement compared to the natural state (e.g., Jacobs and Arora 2015; Mazor 2013; Shweder 2013, 2016). Since most circumcised men do not regard circumcision as a harm, according to this view, there is little reason to attempt to curtail the practice.

Critics of NTC typically concede that most circumcised men do not regard themselves as having been harmed by circumcision. But they qualify this concession in one of two ways. First, they draw attention to the minority of circumcised men who do regard themselves as having been harmed by circumcision—regardless of the occurrence of surgical complications—and suggest that the proportion of such men,¹ plus the magnitude of discontent expressed by some of them (despite barriers to reporting caused by social stigma, community pressure, fear of not being taken seriously, and so on), is great enough that reform is in fact needed (e.g., Boyle et al. 2002; Goldman 1999; Hammond 1999; Hammond and Carmack 2017; Watson 2014; see also Bossio and Pukall 2017). The second way they qualify their concession is to note that similar claims of feeling unharmed are expressed by the majority of 'circumcised' women (see Shell-Duncan and Hernlund 2000, for a discussion of this terminology) in societies where non-therapeutic female genital cutting (FGC) is culturally normative, including its most invasive forms (e.g., Darby and Svoboda 2007, 305; Hammond and Carmack 2017, 196).

In other words, despite the fact that FGC is generally understood—at least by Western observers and by local dissenters²—to be extremely harmful, most women who have actually undergone FGC do not regard themselves as having been harmed on balance by the intervention, much less “mutilated,” to use the terminology of the World Health Organization (WHO 2008; see, e.g., Ahmadu 2000, 2007; Davis 2001; Obiora 1996; Public Policy Advisory Network on Female Genital Surgeries in Africa 2012). Instead, similar to many circumcised men in the USA, Israel, some Muslim-majority countries, and very often in their own communities,

1
2 these women tend to perceive their modified vulvae as improved or enhanced compared to the
3 natural state (e.g., 'cleaner,' more 'feminine,' more aesthetically appealing: see, e.g., Ahmadu
4 and Shweder 2009; Manderson 2004; Shweder 2000).

5
6 One possible explanation for this discrepancy, i.e., between the harm judgments of
7 critics and supporters of FGC, is that the latter may be on average or in certain respects less
8 knowledgeable about the anatomy, functions, and sensory implications of surgically unmodified
9 female genitalia (see, e.g., Abu-Sahlieh 1993; Ekwueme, Ezegwui, and Ezeoke 2010; Rahlenbeck
10 and Mekonnen 2009; Sagna 2014, 615). This hypothesised asymmetry in knowledge could be
11 due, at least in part, to a lack of personal experience with the relevant tissue among
12 'circumcised' women (especially post sexual debut; see Figure 2): in other words, if they were
13 'circumcised' early enough, they cannot truly 'know what they are missing.' The hypothesised
14 asymmetry could also be due to certain false and stigmatising beliefs among such women about
15 the dangers of leaving a girl 'uncircumcised' (see Figure 3), for example, the belief that girls
16 with intact genitalia will be stubborn, promiscuous, or unable to control their sexual desires;
17 that genital cutting is necessary for good hygiene or to prove virginity; or that babies will be
18 harmed if they come into contact with their mother's external clitoris during childbirth
19 (Ekwueme, Ezegwui, and Ezeoke 2010; Gruenbaum 2005; Johansen 2017; Merli 2010).

20
21 In like manner, critics of NTC suggest that its supporters may also possess, either on
22 average or with respect to certain issues, less knowledge about the anatomy, functions, and
23 sensory implications of surgically unmodified male genitalia, while simultaneously being more
24 likely to adopt false beliefs that appear to 'justify' the irreversible bodily alteration that has
25 already taken place (Goldman 1997; Taylor, Lockwood, and Taylor 1996). For example, they
26 may falsely believe (see Sneppen and Thorup 2016) that failure to undergo circumcision in
27 infancy or early childhood will result in a high likelihood that the individual will need a
28 circumcision 'anyway' for medical reasons later on (see, for example, Haaf 2006).

29
30 Consistent with these predictions, Goldman (1997) reported that only about 50% of the
31 circumcised men in his survey who either did not mind, or had positive attitudes about, being
32 circumcised were aware that the foreskin had any purpose (see Figure 1). By contrast, of the
33 circumcised men in his sample who wished that they had not been circumcised, 100% reported
34 awareness that the foreskin had a purpose. In addition, Goldman found that those men who
35 were glad to be circumcised were more likely than the others to underestimate the surface
36 area of the adult foreskin. As Goldman (1997) notes: "These results suggest that the more
37 awareness a man had of the impact of circumcision (i.e., that it involves the loss of a significant
38 amount of tissue that has a purpose), the more likely he would be dissatisfied with being
39 circumcised. Conversely, those who knew less about the impact of circumcision were more
40 likely to be glad (or not care) that they were circumcised" (104).

41
42 Why might circumcised men know relatively little about the impact of circumcision, in
43 terms of the genital structure it is designed to remove (i.e., the foreskin)? There are several
44 possible explanations. One stems from the 'cognitive dissonance' hypothesis proposed in Figure
45 3, which predicts less motivation to learn, believe, or recall positive information about the
46 foreskin if one has been circumcised. Moreover, in addition to a lack of personal experience
47 with the relevant tissue, there may also be a paucity of reliable information about the foreskin
48 in general in circumcision-majority societies, including among medical professionals (e.g.,
49 Goldman 2004). Consistent with this view, a study of US medical textbooks found that the
50 majority of those sampled failed to provide complete and accurate information about the penis
51 in its natural state (Harryman 2004). For example, some textbooks depicted the human penis
52
53
54
55
56
57
58
59
60

1
2 only in a post-surgical condition (i.e., circumcised), with no description of the tissue that must
3 first be removed for the penis to appear that way. In such circumstances, it would be easy to
4 form the impression that the foreskin is an expendable body part without significant value, a
5 view that appears to be relatively uncommon outside of circumcising societies (see Androus
6 2013; Dekkers 2009; for further discussion, see Frisch and Earp 2016a).

7
8 To test these ideas, we conducted a survey of circumcised and non-circumcised US men.
9 We assessed the degree of satisfaction they felt toward their circumcision status (i.e.,
10 circumcised vs. not circumcised) as well as their endorsement of various beliefs, both true and
11 false, pertaining to circumcision and intact male genitalia. Following Goldman (1997), we
12 hypothesised that, among circumcised men, greater endorsement of false beliefs would predict
13 greater satisfaction with their circumcision status. Since such beliefs tend to normalise
14 circumcised penises and/or stigmatise intact male genitalia—at least in majority (male)
15 circumcised societies such as the USA—we predicted that the opposite relationship would hold
16 for genitally intact men. That is, the greater number of false beliefs they endorsed, the less
17 satisfied we expected them to be with not being circumcised.

18
19 While building on Goldman's (1997) preliminary research, our study differs from his in
20 several important ways. First, Goldman's study used a non-representative convenience sample
21 of persons attending a men's conference. As he notes, "Attendees to a men's conference are
22 likely to be more sensitive to men's issues and to have had exposure to men's publications that
23 might have discussed circumcision" (Goldman 1997, 104). By contrast, we framed our study in a
24 general way to avoid such biased sampling, and drew from a more demographically diverse
25 population of Amazon Mechanical Turk (MTurk) workers (see Buhrmester, Kwang and Gosling
26 2011).³ Second, Goldman's sample size was relatively small ($N = 56$), while ours was relatively
27 large ($N = 999$). Finally, Goldman used just two questions to assess men's knowledge about
28 foreskin size and function, whereas we worked with experts to develop a more robust, 10-item
29 measure assessing men's knowledge of foreskin anatomy as well as circumcision-related issues
30 more generally.

31 32 33 34 35 36 37 **Method**

38 39 ***Participants***

40
41 There are no effect size estimates in the literature for studies employing these materials and
42 methods. Moreover, our hypotheses concerned the existence and direction of the predicted
43 effects rather than their magnitude. Therefore, initial power analyses to establish desired
44 sample size were not performed. Sample size was instead determined by available funding.⁴

45
46 A total of 999 US participants completed the entire survey. To take the survey,
47 participants had to agree that they were a man of at least 18 years of age. Participants were
48 excluded if they did not know, or preferred not to report, their circumcision status; if their
49 circumcision took place after the infant period (up to 1 year old); if they failed at least one of
50 two embedded attention checks; or if they chose not to answer one of the main outcome
51 variables.

52
53 This left 902 male participants, ranging in age from 18-75 ($M = 34.0$, $SD = 10.0$). Of those
54 902 participants, 732 identified as circumcised and 170 as non-circumcised. Additional
55 demographic information can be found in the Appendix (see Supplementary material).

Measures

Circumcision status

To assess circumcision status, participants were asked “To your knowledge, are you circumcised?” They were given the option of answering “Yes,” “No,” “I don’t know,” and “Prefer not to answer.” Participants who responded “Yes” were asked to report, if they knew, when their circumcision occurred and whether there were any complications. Additional items asking about the reasons why participants were circumcised or not circumcised, where they were circumcised, etc., were also administered, but these data were not analysed for the present report. Only participants who answered “Yes” or “No” were included in subsequent analyses.⁵

False beliefs

This measure consisted of 10 items, and was presented to participants as a “Penile Anatomy and Circumcision Quiz.” In designing this measure, the present researchers were sensitive to several issues. First, we needed to include items for which there was an objectively correct answer, or at least an answer about which there is very little disagreement among qualified experts. This was deemed to be important because many common assertions about circumcision, including claims about its effects on sexual function, the likelihood and magnitude of various benefits and risks that are associated with it, and so on, are hotly contested even among scholarly authorities (Collier 2012); indeed, the literature in this area is polarised (see Earp 2015b; see also Earp and Darby 2017). Second, we needed to make sure that there was a reasonable mix of ‘positive’ and ‘negative’ claims about circumcision (and the foreskin), so that participants would not feel that there was a bias to the questions one way or the other, which might raise suspicions or possible experimenter demand issues. Third, we needed to make sure that the assessed beliefs covered a range of areas—from facts about anatomy, to medical consequences, to prevalence estimates, to cultural norms—so that results would not be confounded by having been drawn from too narrow a domain of interest. Finally, we needed to make sure that the quiz was not too long, such that participants would be more likely to complete the entire survey.

To aid with these issues, we recruited two outside experts—one who is well-known for arguing in favour of the permissibility of NTC, and one who is well-known for arguing against its permissibility—to provide feedback on our initial list of items. We asked the experts to assess the degree to which there was one, and only one, correct answer for each question (on which both critics and proponents of NTC would agree), and to suggest any necessary changes to wording in cases where there was ambiguity. We also asked for feedback on any wording that might suggest a ‘bias’ either in favour of, or against, NTC, and we modified items accordingly. Items included statements such as, “Most medical associations around the world that have issued statements on routine new-born male circumcision recommend the procedure” (False); “After birth, a boy who has *not* been circumcised should have his foreskin ‘retracted’ or pulled back as soon as possible to facilitate cleaning” (False); and “According to the American Academy of Pediatrics, there is good evidence that being circumcised is associated with a lower incidence of urinary tract infections (UTIs) in boys under the age of 2” (True). Participants were asked to mark ‘True’ or ‘False’ in response to each item; incorrect answers were summed to produce a False Belief Score. The complete list of final items may be found in the Appendix.

Circumcision satisfaction

Participants were asked three questions⁶ to assess their degree of satisfaction with their circumcision status: “How satisfied/dissatisfied are you with your circumcision status?” (1 = very dissatisfied, 2 = dissatisfied, 3 = neither satisfied nor dissatisfied, 4 = satisfied, 5 = very satisfied); “How much is your circumcision status a positive/negative issue for you in your everyday life?” (1 = a very negative issue, 2 = a negative issue, 3 = neither a negative nor a positive issue, 4 = a positive issue, 5 = a very positive issue); “How positively/negatively does your circumcision status affect your sexual experience (if you are sexually active)?” (1 = very negatively, 2 = negatively, 3 = neither negatively nor positively, 4 = positively, 5 = very positively). These three items showed good internal consistency (Cronbach’s $\alpha = .79$) and were moderately positively intercorrelated ($r_s = .50-.66$; $p_s < .001$). They were therefore averaged to form a Circumcision Satisfaction Score.

Procedure

Study procedures were approved by the IRB where funding was granted (Quinnipiac University). The study was conducted with workers from Amazon’s Mechanical Turk (MTurk) marketplace, who were paid \$1.00 for their time. For purposes of recruitment, the study was described as a “Men’s Sexual and Reproductive Behavior and Knowledge Questionnaire,” so that prospective participants would not know in advance that they would be asked questions about circumcision specifically. This was in order to avoid any possible selection biases, for example, overrepresentation of men with especially strong feelings about circumcision. After providing informed consent, participants were given a “Men’s Sexual and Reproductive Health Knowledge Quiz,” consisting of various filler questions designed to make the cover story more credible. These questions purported to assess their knowledge of general men’s sexual health and reproductive issues unrelated to circumcision, such as the prevalence of prostate cancer, what a vasectomy entails, and so on. They were then told, “In the next part of the survey, we are going to focus on additional male reproductive and sexual health issues. In this section, the questions will relate to the topic of male circumcision, a common men’s health issue.” This wording was chosen to imply that questions relating to circumcision were just a part of the overarching survey, and not the specific focus of the study.

Next, participants were administered the *Circumcision Status* and *Circumcision Satisfaction* items described above, followed by the *False Beliefs* measure. Then, demographic information was collected, and participants were fully debriefed (online).

Results

A linear regression was conducted with Circumcision Status and False Belief Score predicting Circumcision Satisfaction. Consistent with Aiken and West (1991), to ensure that the interaction term was orthogonal to its constituent variables, Circumcision status was coded (0 = not circumcised, 1 = circumcised) and False Belief Scores were centred (with an overall mean of 0). The interaction term for each participant was then created by multiplying Circumcision Status by the centred False Belief Score. A statistically significant Circumcision Status by False Belief Score interaction was observed: $B = .160$, $SE = .039$, $p < .001$ ($\beta = .326$). Simple slopes analyses demonstrated that, as hypothesised, for circumcised men, as the proportion of false beliefs increased, so did their degree of satisfaction with their circumcised state ($B = .102$, $SE = .016$, p

1
2
3 < .001; $\beta = .230$). For non-circumcised men, although not statistically significant, the opposite
4 pattern was observed: as the proportion of false beliefs increased, their degree of satisfaction
5 tended to decrease ($B = -.058$, $SE = .036$, $p = .106$; $\beta = -.124$); see Figure 4. Post hoc power
6 analyses revealed that roughly 3 times as many non-circumcised participants would have been
7 needed for this latter effect to be statistically significant. For additional results and related
8 exploratory analyses, see the Appendix.
9

10 Discussion

11
12
13 This study found that, in a large sample of US American men, greater endorsement of false
14 beliefs concerning circumcision and the foreskin predicted greater satisfaction with
15 circumcision status among circumcised participants; while, among non-circumcised
16 participants, the opposite pattern was seen (albeit not statistically significant). These data are
17 consistent with, and build on, research conducted by Goldman (1997). In his informal study
18 with a small, non-representative sample, Goldman (1997) provided preliminary evidence that
19 circumcised men with positive attitudes about their circumcision status may know less about
20 the anatomy and functions of the foreskin compared to such men who have negative attitudes
21 about their circumcision status. Goldman speculated that the more awareness a man had of
22 basic issues regarding the inherent (as opposed to contested or probabilistic) effects of
23 circumcision—namely, that it involves the removal of a substantial amount of functional
24 tissue—the more he would be dissatisfied with being circumcised. The present study, involving
25 a much larger, more demographically diverse sample and employing robust measures of
26 circumcision-related beliefs and satisfaction, provides additional, albeit still tentative, support
27 for the hypothesis advanced by Goldman (1997).
28
29

30
31
32 Why might many circumcised men, like their female counterparts in societies where
33 female ‘circumcision’ is the norm, fail to regard the loss of sensitive genital tissue in infancy or
34 early childhood as a harm? The answer explored here is that they may lack sufficient or
35 accurate information regarding the anatomy and functions of the intact penis (or vulva), and
36 about the consequences, both positive and negative, that have been reliably associated with
37 their genital surgeries. Consistent with this perspective, in the present study, 49% of
38 circumcised men ($n = 359$) reported that they are not confident that they would be able to
39 identify if there were complications from their circumcision, while only 26% ($n = 193$) reported
40 that they knew the reason why they were circumcised. Such men may also harbour false
41 beliefs, as seen in the current sample, that reflect and reinforce wider cultural stigmatisation of
42 surgically unmodified genitalia (see Waldeck 2003, for a theoretical analysis).
43
44

45
46 Cultural expectations, in the form of scripts or norms for example, undoubtedly play a
47 large role in shaping individuals’ attitudes toward their own (and their children’s) genital status,
48 whether modified or unmodified. To illustrate just how strong such cultural forces may be,
49 consider that many ‘circumcised’ women do not want to “burden (their) daughter with excess
50 clitoral and labial tissue that is unhygienic, unsightly, and interferes with sexual penetration”
51 (Ahmadu and Shweder 2009, 17); these women report having the same desire for “healthy and
52 aesthetically pleasing genitalia” in their daughters as they would want for their sons – an
53 attitude that many Western mothers would presumably find shocking.
54
55

56 This is not to say that ‘cultural’ beliefs are necessarily false. Culturally influenced
57 aesthetic preferences, in particular, come down to a matter of opinion, and reasonable people
58 can disagree about what should be considered beautiful or normal. But it is precisely the
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

subjectivity of such beliefs that introduces uncertainty into the system: when attitudes and expectations are not rooted in cross-cultural universals, but are rather variant or unstable across time and space, they may be susceptible to being questioned as individuals learn new information or begin to see things in a different light (see Earp and Darby 2017).

For example, after hearing about societies that do not routinely modify children's genitalia, engaging in a sexual encounter with someone who has not undergone such a modification, or learning about the properties or functions of the excised genital tissue (i.e., properties that one might reasonably regard as having value), some adults of all genders experience a 'perspective shift.' They begin to reconsider their feelings about their own genital status or about the practice of genital modification generally, sometimes resulting in very negative attitudes and emotions (Earp and Steinfeld 2017; Johansen 2017; Johnsdotter and Essén 2016; for further discussion, see Earp and Darby in press). Thus, while the majority of circumcised men and women in societies where nontherapeutic childhood genital cutting (NGC) is culturally entrenched appear to regard their modified genitalia as 'normal,' a minority of both sexes,⁷ upon reflection, come to express anger and resentment at not having been able to provide their own informed consent for the procedure when they were old enough to understand what was at stake (Bossio and Pukall 2017; Earp and Darby 2017; Earp and Steinfeld 2017; Hammond and Carmack 2017).

In this study, we have provided preliminary evidence that male circumcision satisfaction may be positively associated with holding false beliefs about circumcision and the foreskin, with inaccurate judgments tending to be biased in a way that (1) supports the prevailing cultural norm and (2) reinforces stigmatisation of surgically unaltered male genitalia. A strength of the study is that the statistical analyses were confirmatory, based upon a single, *a priori* hypothesis, rather than exploratory in nature or based on HARKing (hypothesising after the results are known; see Kerr 1998). In addition, apart from a small pilot study to gather feedback on the wording of items, there is no 'file drawer' to potentially skew the findings (see Earp and Trafimow 2015; Rosenthal 1979). A further notable characteristic, especially compared to the earlier research by Goldman (1997), is the relatively large and demographically diverse sample—although we do not claim that our findings can be extrapolated beyond this group. Weaknesses include the correlational rather than experimental design of the study, and the use of non-validated measures as the primary outcome variables.

Future studies should explore the role of demographic factors in influencing the extent to which men are exposed to, process, believe, and recall positive and negative information regarding the foreskin and circumcision, and the effects of these factors on satisfaction. Do race, religion, or sexual orientation⁸ affect satisfaction, the endorsement of false beliefs, or interactions among these variables? The theory of motivated reasoning (Kunda 1990) predicts that circumcised men will seek out information that supports circumcision and discount or ignore information that weighs against it. Future research should explore this hypothesis directly. Finally, similar research questions apply to nontherapeutic female genital cutting (FGC), and a replication of the present study in an FGC-practising society with female participants would be most welcome. We hope to address these and other questions in forthcoming work.

Acknowledgments

1
2 We are grateful to Peter Chusid for research assistance, and to three anonymous reviewers for
3 constructive criticism on an earlier draft. Portions of this paper were presented at the 23rd
4 Congress of the World Association for Sexual Health in Prague, May 2017, as well as at the
5 Society for the Study of Social Problems' Annual Conference in Montreal, August 2017. Helpful
6 feedback was also given by members of Marianne LaFrance's sex and gender lab at Yale
7 University during the autumn semester of 2017.
8
9

10 **Disclosure statement**

11
12 The first author has published articles in the bioethics literature that raise normative concerns
13 about nontherapeutic surgeries performed on minors, including surgeries for hypospadias
14 (Carmack, Notini and Earp 2016) and routine male and female circumcision (Earp 2015c). To
15 protect against any possible bias, outside experts were recruited to review study materials in
16 advance of data collection (as described above), and all data analysis was conducted by the
17 third author, who has no prior engagement with this subject matter. The data were then
18 subsequently provided to the journal and the peer reviewers, one of whom conducted an
19 independent analysis to reproduce the findings. No financial or other conflict of interest is
20 reported by any of the authors.
21
22
23
24

25 **Funding**

26
27 This work was supported by Quinnipiac University's College of Arts and Sciences Grant-in-Aid
28 funding.
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

References

- Abdulcadir, Jasmine, Diomidis Botsikas, Mylène Bolmont, Aline Bilancioni, Dahila Amal Djema, Francesco Bianchi Demicheli, Michal Yaron, and Patrick Petignat. 2016. "Sexual Anatomy and Function in Women with and without Genital Mutilation: A Cross-sectional Study." *Journal of Sexual Medicine* 13 (2): 226-237.
- Abu-Sahlieh, Sami A. Aldeeb. 1993. "To Mutilate in the Name of Jehovah or Allah: Legitimization of Male and Female Circumcision." *Medicine and Law* 13 (7-8): 575-622.
- Ahmadu, Fuambai S. 2007. "Ain't I a Woman Too? Challenging Myths of Sexual Dysfunction in Circumcised Women." In *Transcultural Bodies*, edited by Ylva Hernlund and Bettina Shell-Duncan, 278-310. New Brunswick: Rutgers University.
- Ahmadu, Fuambai S. 2000. "Rites and Wrongs: An Insider/outsider Reflects on Power and Excision." In *Female 'Circumcision' in Africa: Culture, Controversy, and Change*, edited by Bettina Shell-Duncan and Ylva Hernlund, 283-315. Boulder: Lynne Rienner.
- Ahmadu, Fuambai S., and Richard A. Shweder. 2009. "Disputing the Myth of the Sexual Dysfunction of Circumcised Women" *Anthropology Today* 25 (6): 14-17.
- Aiken, Leona S., and Stephen G. West. 1991. *Multiple Regression: Testing and Interpreting Interactions*. Newbury Park, CA: Sage.
- Androus, Zachary T. 2013. "Critiquing Circumcision: In Search of a New Paradigm for Conceptualizing Genital Modification." *Global Discourse* 3 (2): 266-280.
- Ball, Peter J. 2006. "A Survey of Subjective Foreskin Sensation in 600 Intact Men." In *Bodily Integrity and the Politics of Circumcision*, edited by George C. Denniston and others, 177-188. New York: Springer.
- Benatar, Michael, and David Benatar. 2003. "Between Prophylaxis and Child Abuse: The Ethics of Neonatal Male Circumcision." *American Journal of Bioethics* 3 (2): 35-48.
- Bossio, Jennifer A. 2015. "Examining Sexual Correlates of Neonatal Circumcision in Adult Men." PhD Dissertation, Queen's University. https://qspace.library.queensu.ca/bitstream/handle/1974/13627/Bossio_Jennifer_A_201509_PhD.pdf;jsessionid=C5ECA44D6FD4936D91574C7B7A7CCE74?sequence=1.
- Bossio, Jennifer A., and Caroline F. Pukall. 2017. "Attitude Toward One's Circumcision Status Is More Important than Actual Circumcision Status for Men's Body Image and Sexual Functioning." *Archives of Sexual Behavior* in press.
- Bossio, Jennifer A., Caroline F. Pukall, and Stephen S. Steele. 2016. "Examining Penile Sensitivity in Neonatally Circumcised and Intact Men using Quantitative Sensory Testing." *Journal of Urology* 195 (6): 1848-1853.
- Boyle, Gregory J., Ronald Goldman, J. Steven Svoboda, and Ephrem Fernandez. 2002. "Male Circumcision: Pain, Trauma and Psychosexual Sequelae." *Journal of Health Psychology* 7 (3): 329-343.
- Buhrmester, Michael, Tracy Kwang, and Sam D. Gosling. 2011. "Amazon's Mechanical Turk: A New Source of Inexpensive, yet High-quality, Data?" *Perspectives on Psychological Science* 6 (1): 3-5.
- Carmack, Adrienne, Lauren Notini, and Brian D. Earp. 2016. "Should Surgery for Hypospadias be Performed Before an Age of Consent?" *Journal of Sex Research* 53 (8): 1047-1058.
- Catania, Lucrezia, Omar Abdulcadir, Vincenzo Puppo, Jole Baldaro Verde, Jasmine Abdulcadir, and Dalmar Abdulcadir. 2007. "Pleasure and Orgasm in Women with Female Genital Mutilation/Cutting (FGM/C)." *Journal of Sexual Medicine* 4 (6): 1666-1678.

- 1
2 Cold, Christopher J., and John R. Taylor. 1999. "The Prepuce." *BJU International* 83 (S1): 34-44.
- 3 Collier, R. 2012. "Ugly, Messy and Nasty Debate Surrounds Circumcision." *Canadian Medical*
- 4 *Association Journal* 184 (1): E25-E26.
- 5
- 6 Darby, Robert. 2015. "Risks, Benefits, Complications and Harms: Neglected Factors in the
- 7 Current Debate on Non-Therapeutic Circumcision." *Kennedy Institute of Ethics*
- 8 *Journal* 25 (1): 1-34.
- 9
- 10 Darby, Robert. 2016. "Targeting Patients who Cannot Object? Re-examining the Case for Non-
- 11 therapeutic Infant Circumcision." *SAGE Open* 6 (2): 2158244016649219.
- 12
- 13 Darby, Robert, and J. Steven Svoboda. 2007. "A Rose by any other Name? Rethinking the
- 14 Similarities and Differences between Male and Female Genital Cutting." *Medical*
- 15 *Anthropology Quarterly* 21 (3): 301-323.
- 16
- 17 Davis, Dena S. 2001. "Male and Female Genital Alteration: A Collision Course with the Law?"
- 18 *Health Matrix* 11 (2): 487-570.
- 19
- 20 Dekkers, Wim. 2009. "Routine (Non-religious) Neonatal Circumcision and Bodily Integrity: A
- 21 Transatlantic Dialogue." *Kennedy Institute of Ethics Journal* 19 (2): 125-146.
- 22
- 23 Dickerson, Debra J. 2007. "Crazy as They Need to Be: Circumcised Women Who Support the
- 24 Practice." *Mother Jones*. December 3. Accessed 26 October 2017.
- 25 [http://www.motherjones.com/politics/2007/12/crazy-they-need-be-circumcised-](http://www.motherjones.com/politics/2007/12/crazy-they-need-be-circumcised-women-who-support-practice/)
- 26 [women-who-support-practice/](http://www.motherjones.com/politics/2007/12/crazy-they-need-be-circumcised-women-who-support-practice/)
- 27
- 28 Earp, Brian D. 2017. "The Right to Bodily Integrity and the Concept of Sexual Harm." *Journal of*
- 29 *Sexual Medicine* 14 (5 - Supp. 4): e239.
- 30
- 31 Earp, Brian D. 2016a. "Between Moral Relativism and Moral Hypocrisy: Reframing the Debate
- 32 on 'FGM.'" *Kennedy Institute of Ethics Journal* 26 (2): 105-144 and E1-E28.
- 33
- 34 Earp, Brian D. 2016b. "In Defence of Genital Autonomy for Children." *Journal of Medical Ethics*
- 35 41 (3): 158-163.
- 36
- 37 Earp, Brian D. 2016c. "Infant Circumcision and Adult Penile Sensitivity: Implications for Sexual
- 38 Experience." *Trends in Urology & Men's Health* 7 (4): 17-21.
- 39
- 40 Earp, Brian D. 2015a. "Sex and Circumcision." *American Journal of Bioethics* 15 (2): 43-45.
- 41
- 42 Earp, Brian D. 2015b. "Addressing Polarisation in Science." *Journal of Medical Ethics* 41 (9): 782-
- 43 784.
- 44
- 45 Earp, Brian D. 2015c. "Female Genital Mutilation and Male Circumcision: Toward an Autonomy-
- 46 based Ethical Framework." *Medicolegal and Bioethics* 5 (1): 89-104.
- 47
- 48 Earp, Brian D., and Robert Darby. 2017. "Circumcision, Sexual Experience, and Harm."
- 49 *University of Pennsylvania Journal of International Law* 37 (2-online): 1-57.
- 50
- 51 Earp, Brian D., and Robert Darby. In press. "Circumcision, Autonomy, and Public Health." *Public*
- 52 *Health Ethics*, in press.
- 53
- 54 Earp, Brian D., and David Shaw. 2017. "Cultural Bias in American Medicine: The Case of Infant
- 55 Male Circumcision." *Journal of Pediatric Ethics* 1 (1): 9-26.
- 56
- 57 Earp, Brian D., and Rebecca Steinfeld. 2017. "Gender and Genital cutting: A New Paradigm." In
- 58 *Gifted Women, Fragile Men*, edited by Theresa G. Barbat. Brussels: ALDE Group-EU
- 59 Parliament.
- 60
- 61
- 62

- 1
2 Health Institution in Enugu state, Nigeria." *East African Journal of Public Health* 7 (1): 64-
3 67.
4
5 Faul, Franz, Edgar Erdfelder., Axel Buchner, and Albert-Georg Lang. 2009. "Statistical Power
6 Analyses using G*Power 3.1: Tests for Correlation and Regression Analyses." *Behavior*
7 *Research Methods* 41: 1149-1160.
8
9 Faul, Franz, Edgar Erdfelder, Albert-Georg Lang, and Axel Buchner. 2007. "G*Power 3: A Flexible
10 Statistical Power Analysis Program for the Social, Behavioral, and Biomedical Sciences."
11 *Behavior Research Methods* 39: 175-191.
12
13 Foddy, Bennett. 2013. "Medical, Religious and Social Reasons for and against an Ancient Rite."
14 *Journal of Medical Ethics* 39 (7): 415.
15
16 Fox, Marie, and Michael Thomson. 2005. "A Covenant with the Status Quo? Male Circumcision
17 and the new BMA Guidance to Doctors." *Journal of Medical Ethics* 31 (8): 463-469.
18
19 Frisch, Morten, Y. Aigrain, V. Barauskas, R. Bjarnason, S. A. Boddy, P. Czauderna, and M. Gahr.
20 2013. "Cultural Bias in the AAP's 2012 Technical Report and Policy Statement on Male
21 Circumcision." *Pediatrics* 131 (4): 796-800.
22
23 Frisch, Morten, and Brian D. Earp. 2016a. "Circumcision of Male Infants and Children as a Public
24 Health Measure in Developed Countries: A Critical Assessment of Recent Evidence."
25 *Global Public Health*, in press.
26
27 Frisch, Morten, and Brian D. Earp. 2016b. "Problems in the Qualitative Synthesis Paper on
28 Sexual Outcomes Following Non-Medical Male Circumcision by Shabanzadeh et al."
29 *Danish Medical Journal* 63 (7): A5245.
30
31 Frisch, Morten, and Jacob Simonsen. 2016. "Cultural Background, Non-therapeutic Circumcision
32 and the Risk of Meatal Stenosis and other Urethral Stricture Disease: Two Nationwide
33 Register-based Cohort Studies in Denmark 1977–2013." *The Surgeon*, in press.
34
35 Goldman, Ronald. 2004. "Circumcision Policy: A Psychosocial Perspective." *Paediatrics & Child*
36 *Health* 9 (9): 630-633.
37
38 Goldman, Ronald. 1999. "The Psychological Impact of Circumcision." *BJU International* 83 (S1):
39 93-102.
40
41 Goldman, Ronald. 1997. *Circumcision: The Hidden Trauma*. Boston: Vanguard Publications.
42
43 Gruenbaum, Ellen. 2005. "Socio-Cultural Dynamics of Female Genital Cutting: Research
44 Findings, Gaps, and Directions." *Culture, Health, & Sexuality* 7 (5): 429-441.
45
46 Haaf, Wendy. 2006. "Circumcision Decision." *Today's Parent*. Accessed 26 October 2017.
47 <https://www.todayparent.com/baby/baby-health/circumcision-decision/>.
48
49 Hammond, T. 1999. "A Preliminary Poll of Men Circumcised in Infancy or Childhood." *BJU*
50 *International* 83 (S1): 85-92.
51
52 Hammond, T., and Adrienne Carmack. 2017. "Long-Term Adverse Outcomes from Neonatal
53 Circumcision Reported in a Survey of 1,008 Men: An Overview of Health and Human
54 Rights Implications." *The International Journal of Human Rights* 21 (2): 189–218.
55
56 Harmon-Jones, Eddie, and Cindy Harmon-Jones. 2007. "Cognitive Dissonance Theory after 50
57 Years of Development." *Zeitschrift für Sozialpsychologie* 38 (1): 7-16.
58
59 Harryman, Gary L. 2004. "An Analysis of the Accuracy of the Presentation of the Human Penis in
60 Anatomical Source Materials." In *Flesh and Blood*, edited by George C. Denniston,
Frederick M. Hodges, and Marilyn F. Milos, 17-26. New York: Springer.
- Hauser, David J., and Norbert Schwarz. 2016. "Attentive Turkers: MTurk Participants Perform Better on Online Attention Checks than do Subject Pool Participants." *Behavior Research Methods* 48 (1): 400–407.

- 1
2
3 Hellsten, Sirkku K. 2004. "Rationalising Circumcision: From Tradition to Fashion, from Public
4 Health to Individual Freedom." *Journal of Medical Ethics* 30 (3): 248-253.
- 5 Jacobs, Allan J., and Kavita Shah Arora. 2015. "Ritual Male Infant Circumcision and Human
6 Rights." *The American Journal of Bioethics* 15 (2): 30-39.
- 7 James, Stanlie M., and Claire C. Robertson. 2002. *Genital Cutting and Transnational Sisterhood:
8 Disputing US Polemics*. Chicago: University of Illinois Press.
- 9
10 Johansen, Ragnhild Elise B. 2017. "Undoing Female Genital Cutting: Perceptions and
11 Experiences of Infibulation, Defibulation and Virginity among Somali and Sudanese
12 Migrants in Norway." *Culture, Health & Sexuality* 19 (4): 528-542.
- 13 Johnsdotter, Sara. 2013. "Discourses on Sexual Pleasure after Genital Modifications: The Fallacy
14 of Genital Determinism (a Response to J. Steven Svoboda)." *Global Discourse* 3 (2): 256-
15 265.
- 16
17 Johnsdotter, Sara, and Birgitta Essén. 2016. "Cultural Change after Migration: Circumcision of
18 Girls in Western Migrant Communities." *Best Practice & Research Clinical Obstetrics &
19 Gynaecology* 32: 15-25.
- 20
21 Kerr, Norbert L. 1998. "HARKing: Hypothesizing after the Results are Known." *Personality and
22 Social Psychology Review* 2 (3): 196-217.
- 23
24 Kigozi, Godfrey, Maria Wawer, Absalom Ssettuba, Joseph Kagaayi, Fred Nalugoda, Stephen
25 Watya, Fred Wabwire Mangen et al. 2009. "Foreskin Surface Area and HIV Acquisition in
26 Rakai, Uganda (Size Matters)." *AIDS* 23 (16): 2209-2213.
- 27
28 Kim, DaiSik, and Myung-Geol Pang. 2007. "The Effect of Male Circumcision on Sexuality." *BJU
29 International* 99 (3): 619-622.
- 30
31 Kunda, Ziva. 1990. "The Case for Motivated Reasoning." *Psychological Bulletin* 108 (3): 480-498.
- 32
33 Manderson, Lenore. 2004. "Local Rites and Body Politics: Tensions between Cultural Diversity
34 and Human Rights." *International Feminist Journal of Politics* 6 (2): 285-307.
- 35
36 Mazor, Joseph. 2013. "The Child's Interests and the Case for the Permissibility of Male Infant
37 Circumcision." *Journal of Medical Ethics* 39 (7): 421-428.
- 38
39 Merli, Claudia. 2010. "Male and Female Genital Cutting among Southern Thailand's Muslims:
40 Rituals, Biomedical Practice and Local Discourses." *Culture, Health & Sexuality* 12 (7):
41
42 Moore, Peter. 2015. "Young Americans Less Supportive of Circumcision at Birth." *YouGov*.
43 Accessed 26 October 2017. [https://today.yougov.com/news/2015/02/03/younger-
44 americans-circumcision/](https://today.yougov.com/news/2015/02/03/younger-americans-circumcision/).
- 45
46 Morris, Brian J., Richard Wamai, Esther Henebeng, Aaron Tobian, Jeffrey Klausner, Joya
47 Banerjee, and Catherine Hankins. 2016. "Estimation of Country-specific and Global
48 Prevalence of Male Circumcision." *Population Health Metrics* 14 (1): 1.
- 49
50 Myers, Alex. 2015. "Neonatal Male Circumcision, if Not Already Commonplace, Would Be
51 Plainly Unacceptable by Modern Ethical Standards." *American Journal of Bioethics* 15
52 (2): 54-55.
- 53
54 Nnaemeka, Obioma. 2001. "If Female Circumcision Did Not Exist, Western Feminism Would
55 Invent It." In *Eye to Eye: Women Practicing Development across Cultures*, edited by
56 Susan Perry and Celeste Schenk, 171-189. London: Zed Books.
- 57
58 Obermeyer, Carla Makhlof. 2005. "The Consequences of Female Circumcision for Health and
59 Sexuality: An Update on the Evidence." *Culture, Health & Sexuality* 7 (5): 443-461.
- 60
Obermeyer, Carla Makhlof. 2003. "The Health Consequences of Female Circumcision: Science,
Advocacy, and Standards of Evidence." *Medical Anthropology Quarterly* 17 (3): 394-412.

- 1
2 Obermeyer, Carla Makhlof. 1999. "Female Genital Surgeries: The Known, the Unknown, and
3 the Unknowable." *Medical Anthropology Quarterly* 13 (1): 79-106.
- 4 Obiora, L. Amede. 1996. "Bridges and Barricades: Rethinking Polemics and Intransigence in the
5 Campaign against Female Circumcision." *Case Western Reserve Law Review* 47: 275-
6 378.
- 7
8 Public Policy Advisory Network on Female Genital Surgeries in Africa. 2012. "Seven Things to
9 Know about Female Genital Surgeries in Africa." *The Hastings Center Report* 42 (6): 19-
10 27. [htt](#)
- 11
12 Rahlenbeck, Sibylle I., and Wubegzier Mekonnen. 2009. "Growing Rejection of Female Genital
13 Cutting among Women of Reproductive Age in Amhara, Ethiopia." *Culture, Health &*
14 *Sexuality* 11 (4): 443-452.
- 15
16 Rickwood, A. M. K. 1999. "Medical Indications for Circumcision." *BJU International* 83 (S1): 45-
17 51.
- 18
19 Risser, Jan M., William L. Risser, Mona A. Eissa, Polly F. Cromwell, Michelle S. Barratt, and
20 Andrea Bortot. 2004. "Self-assessment of Circumcision Status by Adolescents." *American Journal of Epidemiology* 159 (11): 1095-1097.
- 21
22 Rosenthal, Robert. 1979. "The 'File Drawer Problem' and Tolerance for Null
23 Results." *Psychological Bulletin* 86 (3): 638-641.
- 24
25 Sagna, Marguerite L. 2014. "Gender Differences in Support for the Discontinuation of Female
26 Genital Cutting in Sierra Leone." *Culture, Health & Sexuality* 16 (6): 603-619.
- 27
28 Sardi, Lauren M. 2011. "The Male Neonatal Circumcision Debate: Social Movements, Sexual
29 Citizenship, and Human Rights." *Societies Without Borders* 6 (3): 304-329.
- 30
31 Shell-Duncan, Bettina, and Ylva Hernlund, eds. 2000. *Female 'Circumcision' in Africa: Culture,*
32 *Controversy, and Change.* Boulder, CO: Lynne Rienner.
- 33
34 Shweder, Richard A. 2016. "Equality Now in Genital Reshaping: Brian Earp's Search for Moral
35 Consistency." *Kennedy Institute of Ethics Journal* 26 (2): 145-54.
- 36
37 Shweder, Richard A. 2013. "The Goose and the Gander: The Genital Wars." *Global Discourse* 3
38 (2): 348-366.
- 39
40 Shweder, Richard. A. 2000. "What about 'Female Genital Mutilation'? And why Understanding
41 Culture Matters in the First Place." *Daedalus* 129 (4): 209-232.
- 42
43 Silberman, M. Six, Kristy Milland, Rochelle LaPlante, Joel Ross, and Lilly Irani. 2015. "Stop Citing
44 Ross et al. 2010, 'Who are the Crowdworkers?'" *Medium*. Accessed 26 October 2017.
45 [https://medium.com/@silberman/stop-citing-ross-et-al-2010-who-are-the-](https://medium.com/@silberman/stop-citing-ross-et-al-2010-who-are-the-crowdworkers-b3b9b1e8d300)
46 [crowdworkers-b3b9b1e8d300](https://medium.com/@silberman/stop-citing-ross-et-al-2010-who-are-the-crowdworkers-b3b9b1e8d300)
- 47
48 Silverman, Eric K. 2004. "Anthropology and Circumcision." *Annual Review of Anthropology* 33:
49 419-445.
- 50
51 Sneppen, I., and J. Thorup. 2016. "Foreskin Morbidity in Uncircumcised Males." *Pediatrics* 137
52 (5): e20154340.
- 53
54 Svoboda, J. Steven. 2013. "Circumcision of Male Infants as a Human Rights Violation." *Journal of*
55 *Medical Ethics* 39 (7): 469-474.
- 56
57 Svoboda, J. Steven, and Robert S. Van Howe. 2013. "Out of Step: Fatal Flaws in the Latest AAP
58 Policy Report on Neonatal Circumcision." *Journal of Medical Ethics* 39 (7): 434-441.
- 59
60 Taylor, J. R., A. P. Lockwood, and A. J. Taylor. 1996. "The Prepuce: Specialized Mucosa of the
61 Penis and its Loss to Circumcision." *British Journal of Urology* 77 (2): 291-295.

- 1
2
3 UNAIDS. 2010. "Neonatal and Child Male Circumcision: A Global Review." *UNAIDS Report*.
4 Accessed 26 October 2017.
5 http://www.who.int/hiv/pub/malecircumcision/neonatal_child_MC_UNAIDS.pdf?ua=1.
6 Ungar-Sargon, Eliyahu. 2015. "On the Impermissibility of Infant Male Circumcision: A Response
7 to Mazor (2013)." *Journal of Medical Ethics* 41 (2): 186-190.
8
9 Waldeck, Sarah E. 2003. "Using Male Circumcision to Understand Social Norms as
10 Multipliers." *University of Cincinnati Law Review* 72 (3): 455-526
11
12 Wallerstein, Edward. 1985. "Circumcision: The Uniquely American Medical Enigma." *Urologic
13 Clinics of North America* 12 (1): 123-132.
14
15 Watson, Lindsay. 2014. *Unspeakable Mutilations: Circumcised Men Speak Out*. Ashburton, NZ:
16 CreateSpace.
17
18 Werker, Paul, Alex S. Terng, and Moshe Kon. 1998. "The Prepuce Free Flap: Dissection
19 Feasibility Study and Clinical Application of a Super-Thin New Flap." *Plastic and
20 Reconstructive Surgery* 102 (4): 1075-1082.
21
22 WHO. 2008. "Eliminating Female Genital Mutilation: An Interagency Statement." *World Health
23 Organization*. Accessed 26 October 2017.
24 [http://www.unfpa.org/publications/eliminating-female-genital-mutilation-interagency-
25 statement](http://www.unfpa.org/publications/eliminating-female-genital-mutilation-interagency-statement)
26
27 Witt, Whitney P, Audrey J. Weiss, and Anne Elixhauser, A. 2014. "Overview of Hospital Stays for
28 Children in the United States, 2012." *Healthcare Cost and Utilization Project, Statistical
29 Brief #187, 1-17*. Accessed 26 October 2017. [http://www.hcup-
30 us.ahrq.gov/reports/statbriefs/sb187-Hospital-Stays-Children-2012.pdf](http://www.hcup-us.ahrq.gov/reports/statbriefs/sb187-Hospital-Stays-Children-2012.pdf).
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7 **Figure 1. A brief overview of the penile prepuce (foreskin)**

8
9
10 According to Cold and Taylor (1999) the prepuce “is an integral, normal part of the external [male]
11 genitalia that forms the anatomical covering of the glans penis” (34). In this respect, it is similar to the
12 clitoral prepuce in females, which similarly covers and protects the glans clitoris. One of its functions
13 is to internalise the head of the penis including the urethral meatus, “thus decreasing external
14 irritation or contamination” (*Ibid.*) This feature may help to explain why meatal stenosis and other
15 urethral stricture diseases, thought to be caused by abrasion of the exposed meatus, are far less
16 common in genitally intact boys compared to circumcised boys (Frisch and Simonson 2016). Similar to
17 the eyelids, lips, anus, and female genital labia, the penile prepuce is a “specialized, junctional
18 mucocutaneous tissue which marks the boundary between mucosa and skin ... The unique
19 innervation of the prepuce establishes its function as an erogenous tissue” (Cold and Taylor 1999, 34).

20
21 In the adult organ, the foreskin has an average surface area of approximately 30-50 square
22 centimeters (Kigozi et al. 2009; Werker, Terng, and Kon 1998), constituting roughly half of the
23 moveable skin system of the penis (Taylor, Lockwood, and Taylor 1996). Recent research using
24 objective measures suggests that the foreskin is the most sensitive part of the penis to light touch,
25 while also being significantly more sensitive than the head of the penis to sensations of warmth
26 (Bossio, Pukall and Steele 2016; Earp 2016c). As it is an elastic, retractable sleeve of tissue, the
27 foreskin can be manipulated during sex and foreplay, whether manually or orally, thus providing
28 specific subjective sensations that some men regard as being highly pleasurable (Ball 2006). Although
29 “the amount of genital tissue removed is variable ... the penile prepuce is removed in nearly all male
30 circumcisions” (Cold and Taylor 1999, 34), thereby precluding such particular sensations.
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Figure 2. Genital cutting before vs. after sexual debut: implications for sexual experience

It is important to emphasise that FGC takes place at many different ages depending on the community, including sometimes after the girl or woman has been sexually active and thus would have a basis for comparing 'before' versus 'after.' There is evidence that, while many women regard their sexual experience as diminished after some types of cutting, others regard it as either 'no different' or even improved (Ahmadu 2000; Obermeyer 2005). Similar mixed findings apply to males who have been circumcised after sexual debut. For example, in one study of 255 circumcised men of whom 138 had been sexually active before circumcision, "masturbatory pleasure decreased after circumcision in 48% of the respondents, while 8% reported increased pleasure. Masturbatory difficulty increased after circumcision in 63% of the respondents but was easier in 37%. About 6% answered that their sex lives improved, while 20% reported a worse sex life after circumcision" (Kim and Pang 2007, 619). What these inconsistent findings show is that genital cutting affects different individuals differently: depending on one's mindset and prior experiences going into the cutting, one's preferences regarding modified versus unmodified genitalia, and other factors, the implications of the cutting for subjective sexual satisfaction may vary considerably (Earp 2016b, 2016c; Johndotter 2013). It is important to note, however, that adults who regard their sexual experience as improved after cutting are not randomly sampled from the population: insofar as they elected the cutting for themselves, they will have done so precisely because they were unsatisfied in some way with their genitals in an unmodified form; and insofar as the genital cutting offered relief from this dissatisfaction (whatever its source), one should expect subjective feelings of improvement along certain dimensions. Thus, the attitudes and experiences of adults who elected genital cutting cannot and should not be extrapolated to individuals whose genitals were cut in infancy or early childhood (Frisch and Earp 2016b).

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Figure 3. Epistemic asymmetries and cognitive dissonance: male and female genital cutting

Like American men who were circumcised in infancy, women who have undergone childhood FGC in societies where male and female genital cutting are culturally normative do not typically feel harmed by their genital modifications, although a vocal minority in each group does (Silverman 2004). Rather, these women tend to feel 'normal' or even enhanced (Public Policy Advisory Network on Female Genital Surgeries in Africa 2012; Shweder 2016). To explain this phenomenon, it is sometimes argued that the women must not 'know what they are missing' or otherwise lack relevant information that might alter their assessment (see main text; see also Dickerson 2007). Against this view, however, it has been noted that a similar epistemic asymmetry exists in the opposite direction that must also be taken into account (e.g., Nnaemeka 2001). Specifically, Western women with 'uncut' genitalia cannot know, subjectively, what it is like to have vulvae that were surgically modified in childhood. They may therefore make certain assumptions about the subjective experience of women who have undergone such modification that do not consistently reflect the full reality (see, e.g., Ahmadu 2007). For example, among other myths and misperceptions (see, e.g., James and Robertson 2002; Obiora 1996), these Westerners may erroneously believe that excision of the external clitoral glans or other sensitive tissues necessarily eliminates the capacity for orgasm, failing to realise that most of the clitoris is underneath the skin and that orgasm and other forms of sexual pleasure are in fact common in 'circumcised' women (e.g., Abdulcadir et al. 2016; Catania et al. 2007; Obermeyer 2005; Shweder 2013).

That pleasure and orgasm are possible despite FGC does not, of course, entail that a woman's sexual experience would be no different had her genitals been left intact (Earp 2016b). The same is true for men who have undergone infant circumcision. In both cases, at minimum, any sensation that would have been experienced 'in' the excised tissue itself is necessarily eliminated; and the *risk* of adverse sexual consequences due to the cutting is bound to increase by some amount (Earp 2016b). Moreover, there is an important asymmetry between 'cut' and 'uncut' individuals in terms of the likely need to engage in motivated reasoning to (re)construe their genital status as superior to the alternative (e.g., through the adoption of inaccurate beliefs that stigmatise 'uncircumcised' individuals or exaggerate the benefits of genital modification). Specifically, a person who has not had his/her genitalia altered, but would like them to be, can undertake such a change at an age of maturity, leaving an option 'open' to rectify an undesired situation. By contrast, one whose genitalia were altered in childhood but who might resent this cannot typically 'reverse' the alteration (Earp and Darby 2017; Earp and Shaw 2017). This lack of an option for (physical) rectification in the latter case predicts a greater likelihood of experiencing cognitive dissonance if confronted with the possibility that one's current genital status may be undesirable; this dissonance would then need to be resolved in some way (see generally, Harmon-Jones and Harmon-Jones 2007). One plausible way to resolve it would be through a process of motivated reasoning of the sort just described, i.e., by adopting a 'sour grapes' attitude toward the excised tissue (Earp and Shaw 2017). However, careful empirical research is needed to test this hypothesis directly; such research is currently lacking.




Figure 4. Linear regression analyses predicting Circumcision Satisfaction from Circumcision Status and False Belief Score. As False Belief Scores move from Lower (LFB = -1 SD) to Higher (HFB = +1 SD), circumcised men show greater satisfaction, while non-circumcised men show lesser satisfaction.

* $p < .001$

Notes

¹ Reliable figures are hard to come by, but a recent YouGov poll concluded that 10% of circumcised U.S. American men wish that they had not been circumcised (Moore 2015); in the present sample, this figure was 13.6% (see Earp and Darby 2017 for further discussion).

² There is a growing body of scholarship disputing the Western near-consensus that the risk of sexual and health-related harms associated with FGC is as great as is commonly portrayed in that discourse (see, e.g., Ahmadu and Shweder 2009; Catania et al. 2007; Johnsdotter 2013; Obermeyer 1999, 2003, 2005). Scholars in this camp note that FGC falls on a spectrum, with some forms being comparatively minor (such as a 'prick' to the clitoral hood that does not remove tissue); that it can be carried out in more or less hygienic conditions, and is, in fact, increasingly being carried out by trained medical professionals in sterile settings; and that even the most invasive forms of FGC remove only a small portion of the (external) clitoris since most of the structure is subcutaneous (Abdulcadir et al. 2016), thus leaving sufficient tissue for sexual pleasure and orgasm in many if not most cases (Catania et al. 2007). For a critical discussion of some of these points, see Earp (2016b), especially the Appendix.

³ According to Hauser and Schwarz (2016), MTurk workers have been found to be more attentive to instructions than collegiate samples. Moreover, according to Silberman et al. (2015), MTurk workers lean heavily toward being U.S.-based, which was the population of interest for this study. For more information on the demographic characteristics of our sample, please see the Appendix to this article, which can be found in the supplementary materials.

⁴ For a post hoc power analysis and related discussion, see the Appendix.

⁵ Previous research has shown that many men do not know whether they are circumcised, or incorrectly identify their circumcision status (Risser et al. 2004). To address this issue, an additional measure of circumcision status was administered: see Appendix. Re-running analyses using the second measure resulted in similar findings to those reported in the main text.

⁶ A fourth question was initially included in the survey, namely, "How happy or unhappy are you with being circumcised?" However, due to a programming error, some participants did not see this question. Therefore, we were not able to include it in the final scale. Dropping versus including this question does not substantially affect the main findings in the study.

⁷ We note that many intersex individuals come to express similar negative feelings upon learning of the medically unnecessary genital surgeries to which they were exposed in early childhood in an effort to conform their ambiguous genitals to a perceived gender binary. See the references collected in Earp and Steinfeld (2017).

⁸ Among gay men and other men who have sex with men, one question worth exploring is whether the extent and quality of one's experience with sexual partners of the same/different circumcision status affect one's satisfaction with one's own status. Moreover, investigation of the attitudes and experiences of the sexual partners of circumcised and non-circumcised men (in terms of their sexual satisfaction and its relationship to their endorsement of false beliefs) should also be undertaken. We thank an anonymous reviewer for suggesting these ideas as possible avenues of further investigation.

APPENDIX (supplementary material)

A. Demographic characteristics of the sample

Appendix A. Demographic Information by Group

| Demographic Variable | Non-Circumcised (<i>n</i> = 170) | Circumcised (<i>n</i> = 732) |
|---------------------------------------------|--------------------------------------|-------------------------------------|
| Age | <i>M</i> = 31.9 (<i>SD</i> = 9.5) | <i>M</i> = 34.4 (<i>SD</i> = 10.0) |
| Race/Ethnicity | | |
| White/Caucasian/European American | 85 (50.0%) | 587 (80.2%) |
| People of Colour | 73 (42.9%) | 103 (14.1%) |
| Multi-Racial | 12 (7.1%) | 42 (5.7%) |
| Prefer not to Answer | 0 (0%) | 3 (0%) |
| Religious Affiliation | | |
| Christian | 59 (34.6%) | 296 (40.4%) |
| Jewish | 3 (1.8%) | 14 (1.8%) |
| Muslim | 1 (0.6%) | 4 (0.5%) |
| Other Religions | 16 (9.5%) | 60 (8.3%) |
| Agnostic/Atheist | 86 (50.6%) | 344 (47.0%) |
| Prefer not to Answer | 5 (2.9%) | 14 (1.9%) |
| Education Level | | |
| High School or Less | 22 (12.9%) | 92 (12.6%) |
| Bachelor's Degree or Some College | 130 (76.4%) | 547 (74.7%) |
| Graduate Degree or Some Graduate Schooling | 18 (10.7%) | 92 (12.6%) |
| Prefer not to Answer | 0 (0%) | 1 (0.1%) |
| Relationship Status | | |
| Single | 68 (40.0%) | 269 (36.7%) |
| In a Relationship | 52 (30.6%) | 157 (21.4%) |
| Engaged/Married | 48 (28.2%) | 268 (36.6%) |
| Separated/Divorced | 2 (1.2%) | 38 (5.2%) |
| Sexual Orientation | | |
| Heterosexual or Straight | 154 (90.6%) | 659 (90.0%) |
| Non-heterosexual (Gay, Bisexual, Pansexual) | 14 (8.2%) | 73 (10.0%) |
| Asexual | 2 (1.2%) | 0 (0%) |

A note on representativeness. For reference, 65.1% of our total sample (*N* = 902) consisted of White participants who are circumcised, compared to 65.3% of White participants included in the Nationwide Inpatient Sample (NIS) between 1988 and 2000 as analysed by Nelson, Dunn, Wan, and Wei (2005). Similarly, 74.5% of our total sample reported being White, while 25.5% reported being a person of colour or multi-racial; this compares to 62.3% White and 34.6% Black, Hispanic, Asian/Pacific Islander, and Native

American (combined) in the NIS per Nelson et al. (2005). Thus, Whites seem to be overrepresented in our sample; however, among Whites, the percentage circumcised is almost exactly the same as in the NIS. Note that the percentage circumcised for people of colour and multi-racial participants is harder to compare between the two samples because we did not use the same racial/ethnic categorisation scheme for non-White status.

Reference: Nelson, Caleb P., Rodney Dunn, Julian Wan, and John T. Wei. 2005. "The Increasing Incidence of Newborn Circumcision: Data from the Nationwide Inpatient Sample." *The Journal of Urology* 173(3): 978-981.

B. 10-Item False Belief Scale ("Penile Anatomy and Circumcision Quiz")*

1. According to the American Academy of Pediatrics, there is good evidence that being circumcised is associated with a lower incidence of urinary tract infections (UTIs) in boys under the age of 2. [TRUE]
2. If a baby boy is not circumcised shortly after birth, he will most likely require a circumcision anyway to correct medical problems before he turns 18. [FALSE]
3. The percentage of men who are circumcised in the United States is significantly greater than the percentage of men who are circumcised in most other English-speaking countries. [TRUE]
4. The foreskin is typically the least sensitive part of the penis to light touch. [FALSE]
5. After birth, a boy who has not been circumcised should have his foreskin "retracted" or pulled back as soon as possible to facilitate cleaning. [FALSE]
6. Some forms of non-therapeutic (ritual) female genital cutting that are described by the World Health Organization (WHO) as "mutilation" are less physically invasive than male circumcision as it is typically performed in the United States. [TRUE]
7. Most medical associations around the world that have issued statements on routine newborn male circumcision have concluded that the foreskin does not have any functions. [FALSE]
8. In the United States, during the late 19th and early 20th centuries, circumcision was advocated by mainstream doctors as a preventative measure against—or a "cure" for—masturbation. [TRUE]
9. According to most authoritative sources, approximately 100 circumcisions would be needed to prevent 1 urinary tract infection (UTI) among boys with normally developing anatomy. [TRUE]
10. Most medical associations around the world that have issued statements on routine newborn male circumcision recommend the procedure. [FALSE]

* *n.b.* Participants were originally administered an 11-item False Belief Scale, with the 11th item reading: "The World Health Organization recommends that male circumcision be carried out in countries and regions with high heterosexually transmitted HIV prevalence and low percentages of circumcised males." After data collection, we realised that the statement was worded in such a way that participants would have to agree that both propositions in the sentence were true in order to choose the correct answer (which is True), so we elected to drop this "double-barreled" item from the final scale. To confirm that doing so would not

substantially alter the findings from the study, we re-ran the linear regression described in the main text with the full 11 items (i.e., attempting to predict Circumcision Satisfaction from Circumcision Status and False Belief Score). Similar results were obtained: a significant regression equation was found: $F(3,901) = 13.66, p < .001$, with an $R^2 = .04$. An interaction between Circumcision Status and False Belief Score was also observed: $B = .145, SE = .039, p < .001 (\beta = .300)$. Simple slopes analyses demonstrated that, as expected, for circumcised men, as the proportion of false beliefs increased, so did their degree of satisfaction with their circumcised state ($B = .094, SE = .016, p < .001; \beta = .217$). For non-circumcised men, although not statistically significant, the opposite pattern was observed: as the proportion of false beliefs increased, their degree of satisfaction tended to decrease ($B = -.050, SE = .035, p = .157; \beta = -.109$).

C. Post hoc power analysis

A post hoc power analysis was conducted using the software package G* Power (Faul et al. 2007; Faul et al. 2009), with the final sample size of 902 and alpha level set at $p < .05$. The analysis showed that the statistical power for the overall interaction, as well as for the circumcised sub-set ($n = 732$), was very high, exceeding .99. In fact, only 143 circumcised men would have been needed to achieve a statistically significant result. Among non-circumcised participants ($n = 170$), by contrast, a total of 518 participants would have been needed to achieve statistical significance: for this (smaller) effect size, then, our power was low (.359). That said, we caution readers against equating statistical significance with substantive significance. This is the first large-sample study of its kind, so the findings should be considered preliminary: replications are needed along with further theoretical work to establish effect size ranges that are theoretically and practically meaningful along different dimensions and with respect to different research questions. Our aim in the present study was only to establish that there was a relationship between the studied variables in the expected directions (i.e., our hypothesis concerned the existence and direction of the effect, rather than its magnitude).

D. Exploratory analyses

Our hypothesis was that the relationship between false beliefs and satisfaction would be different for circumcised compared to genitally intact men, and this is what we found. However, some readers may be interested in the absolute (mean) scores for false beliefs and circumcision satisfaction for these groups. Since we did not have a specific hypothesis about what these scores should be in advance of data collection, we have decided to report them here in the Appendix as opposed to the main text. The circumcised men in our sample reported numerically, but not significantly, greater endorsement of false beliefs ($M = 4.3, SD = 1.7$) compared to non-circumcised men ($M = 4.0, SD = 1.6, p = .10$), as well as numerically, but not significantly, greater satisfaction scores ($M = 3.7, SD = 0.8$), compared to non-circumcised men ($M = 3.6, SD = 0.7, p = .09$). Although we did not have an *a priori* hypothesis concerning these scores, the similar observed means for each group, especially with respect to satisfaction, are consistent with our theoretical framework: it is precisely the lack of felt dissatisfaction among the majority of circumcised men (despite the non-consensual loss of functional tissue that is *prima*

1
2
3
4 *facie* valuable) that we are seeking to explain in this line of research. Finally, we note
5 that given the cross-over interaction or 'opposite' effect for non-circumcised men,
6 statistically, one would expect that the mean scores should not differ.
7
8
9

10
11 **E. Secondary circumcision status measure**

12 Previous research has shown that many men do not know whether they are
13 circumcised, or incorrectly identify their circumcision status (Risser et al. 2004). To
14 address this issue, an additional measure of circumcision status was administered.
15 Specifically, drawings of what appear to be circumcised penises (drawings 1, 2, and
16 3) and non-circumcised penises (drawings 4, 5, and 6) in both flaccid and erect
17 states were shown, and participants were asked to select the drawing from each
18 category that most resembled their own penis (adapted with permission from
19 Bossio 2015). The flaccid and erect drawing choices were highly internally
20 consistent (Cronbach's $\alpha = .87$), so these items were averaged into a single
21 circumcision-status-by-drawing-choice measure. Scores on this new measure
22 ranging from 1 through 3.5 were recoded as 1 for 'circumcised' while scores ranging
23 from 4 through 6 were recoded as 2 for 'non-circumcised' to correspond with
24 codings from the self-report measure, "To your knowledge ..." (there were no scores
25 between 3.5 and 4). The two ways of measuring circumcision status were highly
26 significantly correlated: $r = .75, p < .001$. Re-running analyses using this second
27 measure resulted in similar findings to those reported in the main text of this
28 manuscript; this measure will therefore not be discussed further.
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60